

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	66	hold with request with failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:41
L2	12	1 and "714"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:43
L3	0	1 and "714".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:44
L4	3	1 and (714/6)"ccls."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:44
S1	30	"690068"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:23
S2	833	switch with primary with secondary same fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:33
S3	566	switch with primary with secondary with fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:23
S4	16	switch with primary with secondary with fail\$4 with storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:26
S5	11	("5008882" "5181017" "641" "8508" "20020042866" "20020097687").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:26

EAST Search History

S6	10	("5008882" "5181017" "6418508" "20020042866" "20020097687").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:26
S7	14	switch with primary adj storage same fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:34
S8	14	switch with (primary adj storage) same fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:34
S9	8	("20030014433" "20030056142" "20030191916" "5504861" "5615329" "5633999" "6029231" "6144999").PN. OR ("7043665"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/04 16:45
S10	37	"134,414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:05
S11	8	("20030014433" "20030056142" "20030191916" "5504861" "5615329" "5633999" "6029231" "6144999").PN. OR ("7043665"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/07 15:56
S12	3	S11 and switch	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 10:09
S13	1885	(714/6).cccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 10:09
S14	632	S13 and switch	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 10:09
S15	158	S13 and switch with fail\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 10:09
S16	31	S13 and primary same secondary same (switch with fail\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 10:10

EAST Search History

S17	17	("3623014" "4396984" "4455605" "5404508" "5574863" "5594900" "5604862" "5608865" "5615329" "5619644" "5621884" "5644698" "5673382" "5680580" "5682513" "5692155" "5870537").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 11:03
S18	0	("2003/0204773").URPN.	USPAT	OR	ON	2006/08/08 12:00
S19	20	("20030018813" "20030188233" "4837680" "4894828" "5289589" "5327531" "5720029" "5828847" "5870537" "5966301" "6108300" "6145066" "6167459" "6199074" "6240467" "6292905" "6442709" "6499112" "6578158" "6888792").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 12:03
S20	136	mirror with switch with fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:08
S21	1885	(714/6).cccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 17:08
S22	2	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:12
S23	23022	fail\$4 with primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:13
S24	315	S21 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:16
S25	152	S24 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:16
S26	1370	S23 same rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:16

EAST Search History

S27	26	S21 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 17:16
S28	17	("3623014" "4396984" "4455605" "5404508" "5574863" "5594900" "5604862" "5608865" "5615329" "5619644" "5621884" "5644698" "5673382" "5680580" "5682513" "5692155" "5870537").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/08 17:17
S29	451	primary with storage with mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 12:38
S30	91	S29 same fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 12:39
S31	39	S29 with fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 12:39
S32	0	("2005/0138461").URPN.	USPAT	OR	ON	2006/08/09 12:40
S33	15	("5089958" "5157663" "5276867" "5513314" "5564011" "5594863" "5668958" "5675723" "5696895" "5950203" "6078990" "6105122").PN. OR ("6266785").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/09 13:55
S34	206	("5513314").URPN.	USPAT	OR	ON	2006/08/09 15:30
S35	48	S34 and fail\$4 with primary	USPAT	OR	ON	2006/08/09 15:31
S36	115	S34 and switch	USPAT	OR	ON	2006/08/09 15:31
S37	36	S35 and S36	USPAT	OR	ON	2006/08/09 15:31
S38	17	S34 and (fail\$4 with primary) same switch	USPAT	OR	ON	2006/08/09 17:43
S39	4	"690069"	USPAT	OR	ON	2006/08/09 17:43
S40	17	"690068"	USPAT	OR	ON	2006/08/09 17:44
S41	206	("5513314").URPN.	USPAT	OR	ON	2006/08/09 17:44
S42	48	S41 and fail\$4 with primary	USPAT	OR	ON	2006/08/09 17:44
S43	115	S41 and switch	USPAT	OR	ON	2006/08/09 17:44
S44	36	S42 and S43	USPAT	OR	ON	2006/08/09 17:45

EAST Search History

S45	21	(US-20050097391-\$ or US-20040073830-\$ or US-20020097687-\$ or US-20030014433-\$ or US-20030188233-\$ or US-20040098637-\$).did. or (US-6839865-\$ or US-6266335-\$ or US-6304980-\$ or US-5181017-\$ or US-5008882-\$ or US-7043665-\$ or US-6898727-\$ or US-5963448-\$ or US-5633999-\$ or US-6973586-\$ or US-6691245-\$ or US-5608865-\$ or US-5621884-\$ or US-5513314-\$). did. or (US-6775230-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 14:02
S46	10	S45 and asynchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:26
S47	8	S45 and synchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:08
S48	2	S45 and "logical storage"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:43
S49	17	S45 and logical\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:45
S50	2	S45 and (monitor with error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:47
S51	0	S45 and (monitor with failt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:47
S52	1	S45 and (monitor with fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:47

EAST Search History

S53	5	S45 and (monitor with fail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:47
S54	0	S45 and synchron	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:08
S55	14	S45 and synchron\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:09
S56	17	S45 and synchron\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:37
S57	14	S45 and (error or fault or fail\$3) with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:37
S58	14	S45 and (error or fault or fail\$3) with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:38
S59	0	S45 and (error or fault or fail\$3) with primary with (hold or retry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:38
S60	0	S45 and (error or fault or fail\$3) with primary with (hold or retry or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:38
S61	0	S45 and (error or fault or fail\$3) with secondary with (hold or retry or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:38
S62	5	S45 and (error or fault or fail\$3) with primary with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:41

EAST Search History

S63	2	S45 and (error or fault or fail\$3) with (retransmit or redo or retry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:42
S65	6	S45 and (error or fault or fail\$3) with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:44
S67	14	S45 and (fail\$3) with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:44
S68	2	S45 and (fail\$3) with secondary with (finish or complete or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:55
S69	0	hold with (error or fail\$3) with secondary with (finish or complete or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:56
S71	51	message with (error or fail\$3) with secondary with (finish or complete or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:01
S72	3	(hold\$3 or pause) with (error or fault or fail\$3) with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:02
S73	21	(US-20050097391-\$ or US-20040073830-\$ or US-20020097687-\$ or US-20030014433-\$ or US-20030188233-\$ or US-20040098637-\$).did. or (US-6839865-\$ or US-6266335-\$ or US-6304980-\$ or US-5181017-\$ or US-5008882-\$ or US-7043665-\$ or US-6898727-\$ or US-5963448-\$ or US-5633999-\$ or US-6973586-\$ or US-6691245-\$ or US-5608865-\$ or US-5621884-\$ or US-5513314-\$). did. or (US-6775230-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 18:13

EAST Search History

S74	16	S73 and continue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 18:13
S75	15	S73 and complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 18:20
S76	3484	"I/O" with (busy or hold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:27
S77	68	"I/O" with (busy or hold) with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:28
S78	2	"I/O" with (busy or hold) with monitor with (fault or fail\$3 or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:29
S79	413	(busy or hold) with monitor with (fault or fail\$3 or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:29
S80	637	(busy or hold) with monitor\$3 with (fault or fail\$3 or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:29
S81	63	(busy or hold) with monitor\$3 with (fault or fail\$3 or error) with ("I/O" or command or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:03
S82	0	S81 and "714".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:30
S83	0	S81 and ("714").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:30

EAST Search History

S84	124	trap with monitor\$3 with (fault or fail\$3 or error) with ("I/O" or command or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:05
S85	1884	(714/6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:04
S86	3	S84 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:04
S87	19	trap with monitor\$3 with fail\$3 with ("I/O" or command or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:11
S88	3	S85 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:09
S89	152	hold with monitor\$3 with fail\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:11
S90	1	S89 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:11
S91	262	hold with monitor\$3 with error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:12
S92	2	S91 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:40



CrossRef Search
publisher pilot for full-text scholarly research

MORE INFO

Fill in the CrossRef Search Pilot [Web Survey!](#)

Feedback: crs@crossref.org

hold request failure

Search

powered by
Google

Web

Results 1 - 10 of about **215,000** for **hold request failure**. (0.54 seconds)

[PDF] [Web Server Performance Analysis](#)

File Format: PDF/Adobe Acrobat

of the queue to **hold requests** when all the resources are busy is typically very large to ensure ...

Wide area traffic: The **failure**. of Poisson modeling. ...

portal.acm.org/ft_gateway.cfm?id=1145605&

[type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOK...](http://portal.acm.org/ft_gateway.cfm?id=1145605&type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOK...)

[PDF] [A Lazy Buddy System Bounded by Two Coalescing Delays per Class](#)

File Format: PDF/Adobe Acrobat

following two cases will **hold**:. (1). If buddy is not free, block cannot coalesce and ...

left in the arena to satisfy the **request**. The **request failure** ...

portal.acm.org/ft_gateway.cfm?id=74867&type=pdf

[PDF] [Phoenix: Making Applications Robust](#)

File Format: PDF/Adobe Acrobat

re-accessing the result set table after a **failure**. Phoenix/ODBC intercepts each application SQL **request** and performs a one-pass parse to determine ...

portal.acm.org/ft_gateway.cfm?id=304577&

[type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKEN...](http://portal.acm.org/ft_gateway.cfm?id=304577&type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKEN...)

[PDF] [Gossip-Based Ad Hoc Routing](#)

File Format: PDF/Adobe Acrobat

that essentially the same results **hold** for finite graphs, except ... creased if the route **request failure** probability is high and de- ...

portal.acm.org/ft_gateway.cfm?id=1143399&

[type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKE...](http://portal.acm.org/ft_gateway.cfm?id=1143399&type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKE...)

[PDF] [Using PARLAY APIs Over a SIP System in a Distributed Service ...](#)

File Format: PDF/Adobe Acrobat

cessful, redirection, **request failure**, server **failure** and global. **failure** responses. ... call object can only **hold** two parties (basic call between an ...

portal.acm.org/ft_gateway.cfm?id=778498&type=pdf

[PDF] [AN ALGORITHM FOR RESOURCE LOCATION IN A LOOSELY LINKED DISTRIBUTED ...](#)

File Format: PDF/Adobe Acrobat

value on the **request** for information circulated by the TARD. **Failure** of the node containing the TARD would ultimately be detected. by a LARD. ...

portal.acm.org/ft_gateway.cfm?id=1041461&

[type=pdf&coll=GUIDE&dl=&CFID=15151515&CFTOKE...](http://portal.acm.org/ft_gateway.cfm?id=1041461&type=pdf&coll=GUIDE&dl=&CFID=15151515&CFTOKE...)

[PDF] Multi-level modeling approach for the availability assessment of e ...

File Format: PDF/Adobe Acrobat

a connection and notifies the user of the **request failure** (node 3). ... shows that when the stochastic independence or weak dependence assumptions **hold**, ...

dx.doi.org/10.1002/spe.550

[PDF] Recent Literature

File Format: PDF/Adobe Acrobat

hold unfavorable information from the patient at the family's **request**, avoid the discussion en- ... ure, and end-stage heart **failure**. This is an excellent ...

dx.doi.org/10.1089/109662102320880688

[PDF] Responding to Requests Regarding Prayer and Religious Ceremonies ...

File Format: PDF/Adobe Acrobat

Because physicians **hold** considerable ... ing renal **failure**. He and his family have agreed ... asking, for example, "May I **hold** your daughter's ...

dx.doi.org/10.1089/109662103322144727

[PDF] ATv AUSTRIA Right to a fair trial – violation Article 6, Section 1

File Format: PDF/Adobe Acrobat

contain an explicit rule but the court's practice was not to **hold** one. In those circumstances, the appli- cant's **failure** to **request** a hearing either at ...

www.springerlink.com/index/JPGT8L38P6LKNEU0.pdf

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

hold request failure

[Search within results](#) | [Search Tips](#)

[Try your query on the entire web](#)